

TECHNICAL DATASHEET

STALOC CITRUS POWER CLEANER

SQ-245

PRODUCT DESCRIPTION

STALOC citrus power cleaner is a powerful and effective cleaning spray, used to degrease and clean heavily contaminated parts made of metals or plastics. Due to its extremely high content of citrus terpene the effect of cleaning is mild and powerful at the same time. Especially removing labels from any kind of surface is easily possible when applying the product. Excess adhesives resulting from the application process (e.g. on ABS-materials) or non-cured PU-foams can be removed effortlessly. Main users of the product are construction companies, metal workers, locksmiths, carpenters, public companies, schools, hospitals, hotels, etc.

STALOC citrus power cleaner is non-corrosive and does not leave any residues.

APPLICATION

Recommended application – further information can be found in the material safety data sheet.

Apply STALOC citrus power cleaner onto the surface that needs to be cleaned. If the pressure in the can doesn't rinse off the dirt, use a clean cloth to wipe away the residues. If necessary, repeat the cleaning process. STALOC citrus power cleaner is compatible with all metal surfaces and most of the plastic surfaces. Nevertheless it is recommended to check material compatibility before use or apply in a non-visible area.

TECHNICAL PROPERTIES

ATTRIBUTE	UNIT	SPECIFICATION
colour		transparent
base		aliphatic solvent mixture and fragrances

Information according to EC Reg. 648/2004 on detergents:

- product contains >30% aliphatic hydrocarbons, perfumes (d-limonene).

SAFETY INFORMATION

Please send your request for the latest version of the material safety data sheet (MSDS).

PACKAGING / VOLUME

500 ml 650 3e á 12 pcs. per box

The information and data in this document are for information purposes only. STALOC cannot take responsibility for the results obtained by a third party, whose methods are not under STALOC control. The determination of the suitability for the user's purpose of any STALOC product is the responsibility of the client. Consequently, STALOC recommends testing of the products before using it for a series application. Moreover, it is the responsibility of the customer to ensure a safe environment for the user. STALOC therefore disclaims all warranties expressed or implied, including warranties of merchantability or fitness for a particular purpose, arising from sale or use of STALOC products. STALOC cannot be held liable for any consequential or incidental damage resulting from the use of a STALOC product, including lost profits or damages of any other kind. Products or processes mentioned herein might be subject to released or pending patents or licences.

Issued: 04.05.2012



call STALOC



www.staloc.com



WWW.STALOC.COM